

United States Hang Gliding Association, Inc.
Standard Operating Procedures - 12-2

PART 104 - PILOT PROFICIENCY SYSTEM

INTRODUCTION

USHGA pilot ratings are issued to reflect completion of WITNESSED tasks. Some tasks may seem to require excessive precision or attention to detail, but the practice preparing for them will prove beneficial. A rating gives a pilot an introduction to local people at a different site. Flying sites are labeled according to the approximate skill level required to fly there safely. A pilot may fly the hill only if the local people feel he is capable of doing so. ***It is recommended that all pilots maintain a flight log.***

104.01 - ADMINISTRATION

A. Administration Procedures

- 1) Flights offered in evidence of a skill must have been made in accordance with regulations and requirements of the USHGA in effect at the time of the flight.
- 2) Ratings shall be obtained in order, starting with the Beginner Rating, and each assumes the applicant has the ability to perform the tasks required by all lower ratings. Beginner and Novice ratings may be issued simultaneously.
- 3) Ratings Beginner and Novice may be issued by the USHGA upon recommendation of USHGA Basic or Advanced Instructors. The Instructor shall provide the applicant with a rating application, a standard USHGA rating application waiver, and a 30-day temporary rating from the application. The applicant shall send the signed application, the required application fee, and the completed waiver to USHGA Headquarters and provided that all the requirements are met, the USHGA shall issue a permanent rating.
- 4) Ratings Intermediate and Advanced may be issued by the USHGA upon recommendation of USHGA Observers and Advanced Instructors. The Observer or Instructor shall provide the applicant with a rating application, a standard USHGA rating application waiver, and a 30-day temporary rating from the application. The applicant shall send the signed application, the required application fee, and the completed waiver to USHGA Headquarters and provided that all the requirements are met, the USHGA shall issue a permanent rating.
- 5) Master ratings may be issued by the USHGA upon recommendation of USHGA Regional Directors. The applicant shall send the signed application form, the required application fee, and the completed waiver to USHGA Headquarters and provided that all the requirements are met, the USHGA shall issue a permanent rating.
- 6) Examiners may recommend applicants for the Instructor Certification Program, may appoint Observers and may recommend Advanced Pilots for the Master Rating. All recommendations are submitted to the USHGA office.
- 7) All pilots applying for ratings MUST be current Full Members of USHGA.
- 8) Before the USHGA issues any rating, and as a condition precedent to the issuance of any rating, the applicant must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement and deliver an original signed copy to the USHGA office.

104.02 RATING FILING FEES: Effective June 1, 2004

A. Rating Fees

Fees are collected for each level of rating, to cover administrative costs.

1. Beginner (H-1, P-1)	-- \$ 15.00, payable to USHGA
2. Novice (H-2, P-2)	-- \$ 15.00, payable to USHGA
3. Intermediate (H-3, P-3)	-- \$ 15.00, payable to USHGA
4. Advanced (H-4, P-4)	-- \$ 15.00, payable to USHGA
5. Master (H-5, P-5)	-- \$ 15.00, payable to USHGA
6. Tandem I	-- \$ 15.00, payable to USHGA
7. Tandem II	-- \$ 15.00, payable to USHGA
8. Basic Instructor	-- \$ 15.00, payable to USHGA
9. Advanced Instructor	-- \$ 15.00, payable to USHGA
10. Tandem Instructor	-- \$ 15.00, payable to USHGA
11. Instructor Re-certification	-- \$ 15.00, payable to USHGA
12. Portable Radio Authorization (PA)	-- \$ 15.00, payable to USHGA
13. Vehicular Radio Authorization (VA)	-- \$ 15.00, payable to USHGA
14. Aero Tow Tug Pilot (ATP)	-- \$ 15.00, payable to USHGA

104.03 - RATING REQUIREMENTSGeneral Information - Launch Skill Requirement - Foot Launch and/or Tow Launch

A USHGA rated pilot must be rated for **at least one Launch Skill**, either Foot Launch (FL) or one of the tow launch methods, and may be rated for both. The holding of a tow launch method does not give the skills necessary to operate a tow system. The operation of a tow system is a difficult and demanding task requiring special training.

A pilot is not rated for aero towing behind a flying tow vehicle without an *AEROTOW Special Skill signoff*.

3.01 NEW OPTIONAL LANDING TASK - PART 104 ADDENDUM

NOTE:
*Cross Ref. Code ** At the 1990 spring meeting of the USHGA Board of Directors, the safety and training committee approved an optional alternate landing accuracy task for testing pilots for Novice, Intermediate, and Advanced ratings. At the discretion of the Observer or Instructor and **not the pilot**, this task may be substituted for the "three spot landings in a row" task. The administration of the task is as follows:

A. Equipment:

Two flags, connected by a 200' long piece of wide ribbon. Flags and ribbon should be of a size and color so as to be visible from the air. Alternately, a 200' long line may be permanently marked on the ground in areas where the wind direction is highly reliable. The endpoints of the line must be visible from the air on approach, and at least one wind direction flag should be provided.

B. Procedure:

The Instructor or Observer selects the most logical (most desirable - safest) landing point in the landing area. He plants one flag (the limit flag) 100' directly upwind of this point, stretches out the ribbon and plants the second flag (the threshold flag) 100' downwind of the ideal landing point; 200' downwind of the limit flag.

The ribbon represents a runway. The task is to land on the runway. Successful completion of the task requires the pilot to make a landing where no weight bearing contact is made prior to the threshold flag, beyond the limit flag, or more than 20' laterally away from the ribbon (runway centerline). The pilot may not touch the nose of the glider, nor the control bar, nor any part of the pilot's body other than the soles of his feet to the ground. In a landing that is pre-designated to be made on wheels, the front of the pilot's body may touch the ground.

Successful completion of the task requires that two landings be made and observed and recorded by the Observer or Instructor in the pilot's certification book or logbook. They need not be on consecutive attempts; however, following any failed attempt at the task, the Observer or Instructor shall note the failed attempt in the pilot's certification book or logbook, and the pilot shall not be eligible to attempt the task again until he logs ten additional landings.

The required task is the same for candidates for Novice, Intermediate, and Advanced ratings. However, Instructors and Observers should administer the task in conditions appropriate for each level: smooth winds at the end of the day with no significant thermal activity for Novice candidates, lighter or less consistent winds with some convective or turbulent activity for Intermediate candidates, and middle of the day, light or inconsistent winds with significant convective or turbulent activity for Advanced candidates. It is expected that pilots attempting the task be able to set up a crab to handle a slight variation between wind direction and "runway" orientation. However, the Instructor or Observer has the option of discounting a failed attempt and allowing an immediate re-test if a major change in wind direction or conditions during the attempt have made the difficulty of the task inappropriate for the level of skill being tested for.

104.04 WITNESSED TASKS FOR LAUNCH SKILL REQUIREMENT - Foot Launch

The following are the witnessed tasks required to qualify for the Foot Launch Skill. They are separated by pilot rating level. A pilot must perform or have performed all of the listed witnessed tasks for his rating level and below. Any pilot holding a Foot Launch Skill Requirement at the time he earns a higher rating must also demonstrate the appropriate witnessed foot launch tasks for the higher rating level he becomes rated for.

104.05 BEGINNER HANG GLIDING RATING

5.01 Beginner Rating - Required Witnessed Tasks

- A. Set up and preflight of glider and harness, to include familiarity with owner's manual(s).
- B. Demonstrate proper ground handling of equipment.
- C. With *each* flight, demonstrate method(s) of establishing that pilot is hooked in *just prior* to launch.
- D. Launch unassisted showing:
 - 1. Aggressive run, if foot launched.
 - 2. Good angle of attack and pitch control.
 - 3. Directional control.
 - 4. Smooth transition to flying, during launch.
- E. Airspeed recognition and control.
 - 1. Two flights, predetermined to show:
 - a. Constant airspeed.
 - b. Smooth straight flight.

- c. Safe, smooth landing, on feet, into wind.
2. Two flights, predetermined to show:
 - a. Confident, slight variation in airspeed showing awareness and control of airspeed envelope.
 - b. Smoothly increasing airspeed, smoothly slowing airspeed showing good control, familiarity, and anticipation of safe envelope, without losing control. Airspeed to remain well above stall speed.
 - c. Safe, smooth landing, on feet, into wind.
- F. Shows ability to recognize and understand how different wind conditions at this site will affect their flights.
1. Wind direction.
 2. Wind velocity.
 3. Terrain Shape.
 4. Obstructions.
- G. On each flight, demonstrates proper post-landing procedure, to include, but not limited to:
1. Setting glider down.
 2. Unhooking.
 3. Checking traffic.
 4. Removal of glider from landing area.
 5. Any specific protocol at this site.
- H. Demonstration of understanding of the importance of proper breakdown, packing, transportation, and storage of glider.
- I. Has read and understands USHGA statements regarding good judgment and maturity.
- J. Must pass USHGA Hang Gliding Beginner written exam.
- K. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Beginner rating and deliver an original signed copy to the USHGA office.

5.02 Beginner Rating - Tandem

- A. With each flight demonstrate method(s) of preflighting glider and harness and establishing that pilot is hooked in just prior to launch.
- B. Understand parts of glider.
- C. Airspeed recognition and control.
 1. Recognize and fly the following airspeeds: Mush, Min sink, Trim, Best L/D.
- D. Recognize LZ and turn glider to point towards LZ following release from tow.
- E. Understand effects of crosswind on ground track and be able to crab glider towards goal.
- F. Fly the glider with relaxed grip.
- G. Fly glider with head up, scanning horizon from wingtip to wingtip.
- H. Recognize altitudes: 500' +/- 100', 1000' +/- 300'.
- I. Shows ability to recognize and understand how different wind conditions at this site will affect their flights.

1. Wind direction.
 2. Wind velocity.
 3. Terrain shape.
 4. Obstructions.
- J. On each flight, demonstrate proper post-landing procedure, to include, but not limited to:
1. Setting down glider.
 2. Unhooking.
 3. Checking traffic.
 4. Removal of glider from LZ.
 5. Any specific protocol at this site.
- K. Has read and understands USHGA statements regarding good judgment and maturity.
- L. Must pass USHGA Hang Gliding Beginner written exam.
- M. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Beginner rating and deliver an original signed copy to the USHGA office.

5.03 Recommended Operating Limitations for Beginner Pilots:

- A. Should exceed these limitations only after demonstrating complete mastery of the required Beginner tasks (above), and only after acquiring a full understanding of the potential problems and dangerous situations which may arise from exceeding these limitations.
- B. It is highly recommended that all flights be made under the direct supervision of a USHGA Certified Basic or Advanced Instructor.
- C. Should fly only in winds of 12 mph or less, with gust differential of 5 mph or less.
- D. Should foot launch only on slopes of 3:1 to 6:1, where wind is within 15° of being straight up the slope.
- E. Should launch only when there are no obstructions within 60° to either side of intended flight path, and when pilot may fly straight out from launch to landing with no need to maneuver and no possibility of over-flying the landing area.
- F. Should maintain flight heading within 15° of directly into the wind.
- G. Should fly appropriate sites so as to maintain altitude below 100' AGL.

104.06 NOVICE HANG GLIDING RATING

6.01 Novice - Required Witnessed Tasks

The pilot shall use good judgment and have a level of maturity commensurate with the rating. Pilots must demonstrate Beginner level skills and knowledge before obtaining the Novice rating. All witnessed flights must be pre-planned by pilot and discussed with Instructor or specially qualified Observer.

A. Logged Requirements

1. Attends a minimum of 8 hours of ground school theory.

B. Demonstrated Skills and Knowledge

1. Demonstrates set-up and preflight of glider, harness, and reserve parachute.
2. Gives a reliable analysis of general conditions of the site and self; and flight plan including flight path, areas to avoid in relation to the wind flow, and obstacles to stay clear of.

* Refer
to
104.3.01

3. With *each* flight, demonstrates method of establishing that pilot is hooked in *just prior* to launch.
4. Demonstrates successful, aggressive, confident launches on a slope shallower than 4:1 with less than 6 mph wind.
5. Demonstrates successful, aggressive, confident launches, where wind is at least 15° cross to straight in wind not exceeding 5 mph.
6. Demonstrates flight with smooth variation in airspeed, from above minimum sink to fast flight, while maintaining a heading.
7. Demonstrates flight showing ability to comfortably and precisely slow the glider to minimum sink and smoothly increase to normal airspeed while maintaining a heading. The pilot should not mush or stall the glider. These maneuvers should be practiced and observed with a minimum of 75 feet AGL in smooth conditions.
8. Demonstrates flight(s) along a planned path alternating "S" turns of at least 90° change in heading. Flight heading need not exceed 45° from straight into wind. Turns must be smooth with controlled airspeed, ending in safe, stand up landings on a heading.
9. Demonstrates three consecutive(*) landings within 100' of a target, safe, smooth, on feet and into the wind. The target must be sufficiently close to launch such that turns are required to set up an approach and avoid over-flying the target. The target should be at least 100' below the launch point.
10. Demonstrates smooth entry to and exit from flying position without changes in pitch and roll.
11. While in preferred flying position, demonstrates flight with smooth variation in airspeed, from above minimum sink to fast flight, while maintaining a heading.
12. While in preferred flying position, demonstrates flight showing ability to comfortably and precisely slow the glider to minimum sink and smoothly increase airspeed to normal while maintaining a heading. The pilot should not mush or stall the glider. These maneuvers should be practiced and observed with a minimum of 75 feet AGL in smooth conditions.
13. While in preferred flying position, demonstrates flight(s) along a planned path alternating "S" turns of at least 90° change in heading. Flight heading need not exceed 45° from straight into wind. Turns must be smooth with controlled airspeed, ending in safe, stand up landings on a heading.
14. Must pass the USHGA Novice Hang Gliding Written Examination.
15. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Novice rating and deliver an original signed copy to the USHGA office.
16. Demonstrates reserve deployment while hanging in a harness in simulated turbulence or emergency conditions.
17. Acknowledges and understands the need to become familiar with site-specific restrictions and launch or landing access limits, consistent with preservation of flying privileges at a site.

6.02 Recommended Operating Limitations for Novice Pilots

- A. Should exceed these limitations only after thoroughly mastering all required tasks, and after acquiring a full understanding of the potential problems and dangers involved in exceeding these limitations.
- B. It is highly recommended that all flights be made under the direct supervision of a USHGA Certified Basic or Advanced Instructor or Observer.
- C. Should fly only in smooth winds of 18 mph or less and gusty winds to 11 mph.
- D. If foot launching, should launch only on slopes 2:1 to 7:1, where wind is within 25° of being straight up the slope.
- E. Should maintain heading within 90° of directly into wind, and within 45° of directly into wind below 60' AGL.
- F. Flight speed. Should not attempt to fly slowly when encountering lift, but instead, concentrate on maintaining attitude, heading, and airspeed. Slow flight must be preceded by stall experience 500'

from any object.

104.07 INTERMEDIATE HANG GLIDING RATING

7.01 Intermediate Rating - Required Witnessed Tasks

The pilot shall use good judgment and have a level of maturity commensurate with the rating.

A. Logged Requirements

1. Must have logged a minimum of 30 flying days.
2. Must have logged a total of at least 90 flights.
3. Must have logged a minimum of ten hours of solo airtime.

B. Demonstrated Skills and Knowledge

1. Has received training in and/or understands the importance and significance of:
 - a. Right of way rules.
 - b. FAA Regulations and aircraft sectional charts.
 - c. Airspeed control, stalls, spins, and adverse yaw.
 - d. Glider owners manual.
 - e. USHGA Accident Report results currently in print.
2. Can give verbal analysis of conditions on the hill demonstrating knowledge of wind shadows, gradients, lift, sink, laminar air, turbulence, and rotors and the effect these items can have on an intended flight path and turns.
3. Must give a verbal flight plan for each observed flight.
4. Must show thorough preflight of harness, glider, and reserve parachute.
5. With *each* flight, demonstrates a method of establishing that the pilot is hooked in *just prior* to launch.
6. All takeoffs should be aggressive, confident and with a smooth transition to flying. Flights with slow, unstable launches will not be considered adequate as witnessed tasks.
7. For witnessed tasks, all landings must be safe, smooth, on the feet, and in control.
8. Demonstrates the ability to differentiate airspeed from ground speed.
9. Demonstrates linked 180° turns along a predetermined ground track showing smooth controlled reversals and proper coordination at various speeds and bank angles.
10. Explains stall warning characteristics.
11. Has practiced and demonstrates gentle stalls and proper recovery under the direct supervision of an instructor or qualified observer, at least 500' from any object.
12. In 8 to 15 mph wind, demonstrates the ability to maintain airspeed at or near minimum sink during crosswind and upwind legs, without any evidence of stalls.
13. Demonstrates three consecutive landings (*) within 50' of a spot after flights requiring turns on approach.
14. Demonstrates proper airspeed control on landing approach when descending through a gradient.
15. Demonstrates proper airspeed for maximum distance flown into a significant headwind.
16. Demonstrates complete understanding of all Hang Gliding Tow Discussion Topics (for Tow rated pilots only).
17. Must pass USHGA Hang Gliding Intermediate written exam.
18. The pilot must agree to all the provisions of the USHGA standard waiver and assumption of risk

* Refer
to
104.03.01

- agreement for the Intermediate rating and deliver an original signed copy to the USHGA office.
19. Acknowledges and understands the need to become familiar with site-specific restrictions and launch or landing access limits, consistent with preservation of flying privileges at a site.

7.02 Recommended Operating Limitations for Intermediate Pilots

- A. Should fly only in winds of 25 mph or less, with gust differential of 10 mph or less.
- B. Should initiate downwind turns only with 500' of clearance outward from the hill or ridge in winds above 18 mph, and 300' of clearance in winds above 10 mph.
- C. Upon mastering the above skills, an Intermediate Pilot should pursue new maneuvers, sites and conditions with the guidance of a USHGA Certified Advanced Instructor or Observer.

104.08 ADVANCED HANG GLIDING RATING

8.01 Advanced Rating - Required Witnessed Tasks

The pilot will fly using good judgment and have maturity commensurate with the rating.

A. Logged Requirements

1. 250 flights.
2. Must have made five flights at each of five different sites in Intermediate level conditions, of which at least 3 were inland.
3. Must have logged a minimum of at least eighty flying days.
4. Must have at least one, 1-hour flight.
5. Must have at least one 30-minute flight in thermal lift without sustaining ridge lift.
6. Must have logged 75 hours total air time with no more than 25 of these hours to be tandem. Of these 75 hours, twenty-five must be in thermal lift, with no more than 10 of these 25 hours to be tandem.

B. Demonstrated Skills and Knowledge

1. Preflight of harness, glider, and reserve parachute.
2. Verbal analysis of conditions.
3. Flight plan.
4. With *each* flight, demonstrates a method of establishing that pilot is hooked in *just prior* to launch.
5. All launches should be aggressive, confident, and with a smooth transition from running to flying. Flights with slow, unstable launches will not be considered adequate as witnessed tasks.
6. All landings must be safe, smooth, on the feet and in control.
7. Demonstrate ability to allow clearance when doing 360° turns by demonstrating figure eights:
 - a) In a wind sufficient to cause drift, two points will be selected on a line perpendicular to the wind.
 - b) The pilot will fly along a line parallel to that joining the pylons, slightly downwind of the pylons, toward a point midway between them. During the crosswind leg, the pilot will establish the degree of wind drift. At the midpoint between the pylons, the pilot will make a smooth deliberate upwind turn and enter a figure eight course consisting of smooth turns of constant ground track radius around the pylons (centered on the pylons) with straight

segments crossing at the midpoint between the pylons.

- c) The pilot must complete two consecutive figure eights in which the airspeed, bank angle, and turn rate are altered smoothly around the course such that the proper ground track is held and the drift is compensated for, without overcompensation or hesitation.

* *Refer
to
104.3.01*

8. Demonstrate three consecutive landings(*) within 25' of a target after a flight which requires turns on approach. In smooth conditions, the spot location should be changed by the Observer, for each of the three flights. Flights should be a minimum of one minute and 200' AGL.
9. Demonstrate smooth coordinated 360° turns in both directions, with reversal at various speeds and bank angles.
10. At a minimum of 500' demonstrate intentional stalls straight ahead and in turns, not exceeding manufacturer's recommended limitations, showing confident smooth recoveries.
11. Demonstrates the ability to soar above a low point for five minutes on each of three different flights.
12. Demonstrates an altitude gain of at least 500' in thermals.
13. Demonstrates complete understanding of all Hang Gliding Tow Discussion Topics (for Tow rated pilots only).
14. Must pass the USHGA Hang Gliding Advanced written exam.
15. Must convince the Observer that he can check in and fly Advanced rated sites without endangering spectators, other pilots, or jeopardizing the site.
16. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Advanced rating and deliver an original signed copy to the USHGA office.

8.02 Recommended Operating Limitations for Advanced Pilots

- A. Should not fly within 30' of another glider in smooth air, or 100' of another glider in moderately turbulent air.

104.09 MASTER HANG GLIDING RATING

9.01 Master Rating - Required Witnessed Tasks

For pilots who wish to further diversify their skills in the sport of hang gliding and to recognize the achievement of the expert skilled pilot who has experience beyond the Advanced level, there is a designation of Master Pilot. No site will be designated as requiring Master skills. The pilot will fly using good judgment and have a level of maturity commensurate with the rating.

A. Logged Requirements

1. Must be a current USHGA Full Member.
2. Must have all Special Skills except Aerotow (AT) witnessed.
3. Must have a minimum of 1,450 points in at least six categories. (see chart below) Must have a minimum of 400 hours logged airtime with at least 200 hours in thermals, and at least 500 logged flights.
4. Must obtain at least three letters of recommendation from USHGA Observers, Examiners or Advance Instructors, who will attest to the flying requirements and especially the good judgment and maturity of the applicant. If these officials have not seen the applicant flying for this three year period, additional letters of recommendation must be presented so that the three year block of time is covered.
5. Must possess the Bronze Safe Pilot Award (100 flights; there are no points given for this).

<u>CATEGORIES</u>	<u>POINTS</u>	<u>MAXIMUM POINTS ALLOWED</u>
Air time (min. 400 hrs.)	1 pt./hr. (beyond 400 hrs required airtime)	350
No. of flights (Min. 500 flts. 250 must be foot launched)	1 pt./flt. (beyond required 500 flts)	250
Altitude Gains (Only one altitude gain may be used from each flight)	10 pts./2,000' gain 15 pts./3,000' gain 20 pts./4,000' gain 25 pts./5,000' gain 30 pts./6,000' gain	350
Cross Country (10 mi. min. flts.)	1 pt./mi	350
Number of different sites flown	10 pts./site	300
Number of different gliders flown	5 pts./glider	150
Competition	10 pts./fifth 20 pts./fourth 30 pts./third 40 pts./second 50 pts./first	100
Tandem (As pilot in command)	10 pts./flight	100
Towing (Payout Reel, Stationary Winch Static Line, Aero-Tow)	5 pts./flight	100 (50 pts. in each of the possible categories)

B. The pilot is to present documentation of flight experience, to meet the 1,450 point minimum, to his Regional Director, who confirms completion of requirements. The Director then approves or denies the application. If the application is denied, the pilot may appeal the denial to the USHGA Board of Directors. A two-thirds vote of the Board is required to uphold the appeal. A Regional Directors' award of a Master designation may be rescinded by a two-thirds vote of the Board.

C. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Master rating and deliver an original signed copy to the USHGA office.

104.10 HANG GLIDING SPECIAL SKILL ENDORSEMENTS

A. Special Skills attainable by Novice and above.

1. Light Wind Cliff or Ramp Launch (CL):

a. Demonstrates the ability to launch safely from a shallow slope ramp or cliff top, where

running room is severely restricted, drop off is precipitous, wind is 5 mph or less, such that positive attitude control and strong, aggressive sprinting starts are required. Stalled, falling/diving launches are not acceptable demonstrations, even if flight is achieved.

2. Flat Slope Launches (FSL):
 - a. Demonstrates ability to launch in less than 10 mph wind from slopes which approach the maximum L/D of the glider.
 3. Aerotow (AT)
 - a. Refer to Part 104.11.03 "Aerotow Special Skill Endorsements."
 4. Platform Launch (PL)
 - a. Must demonstrate system set up and pre-flight, including a complete discussion of all those factors which are particular to the specific tow system used and those factors which are relevant to towing in general. Must demonstrate complete understanding of both normal and emergency procedures, including checklists for normal procedures and the indications of an impending emergency and convince the instructor of his ability to recognize and execute emergency procedures.
 - b. Demonstrates successful, confident, controlled launches and flight under tow to release at altitude, with a smooth transition to flying, with proper directional and pitch control resulting in proper tracking of the tow line and appropriate maintenance of proper tow line tension and airspeed. Such demonstrations may be made in ideal wind conditions.
 - c. Has discussed all Towing Discussion Topics with the issuing Tow Official.
 5. Surface Tow (ST)
 - a. Must demonstrate tow system set up and preflight, including a complete discussion of all of the factors which are particular to the specific tow system used, and those factors which are relevant to towing in general. Must demonstrate complete understanding of both normal and emergency procedures, including checklists for normal procedures and the indications of an impending emergency, and convince the instructor of his/her ability to recognize and execute emergency procedures.
 - b. Demonstrates successful, confident, controlled launches and flight under tow to release altitude, with a smooth transition to flying, with proper directional and pitch control resulting in the proper tracking of the tow line and appropriate maintenance of proper tow line tension and airspeed. Such demonstrations may be made in ideal wind conditions.
 - c. Has discussed all Towing Discussion Topics with the issuing ST official.
- B. Special Skills attainable by Intermediate and above.
1. Assisted Windy Cliff or Ramp Launch (AWCL):
 - a. Demonstrates ability to launch with wire assist in windy conditions from precipitous cliff or ramp with strong lift at takeoff. Must show proper use of release signals and confident,

aggressive launch.

2. Turbulence (TUR):
 - a. Demonstrates controlled and un-panicked flight in conditions requiring quick, deliberate, substantial, and correct control application.
3. Restricted Landing Field (RLF):
 - a. Demonstrates a landing using a downwind leg, base-leg and a final leg approach where the entire base-leg, final and landing occur within a 300' square.
4. Cross Country (X-C):
 - a. Must hold 2 and 3 above.
 - b. Demonstrate ability to recognize a safe landing area from the air and determine and execute a safe approach and landing, accounting for wind direction, rotors, obstacles, power lines, ground slope, vegetation, etc.

104.11 USHGA HANG GLIDING AERO TOW RATINGS

11.01 USHGA Aero Tow Vehicle Pilot Rating

General Information

A pilot must possess this rating to be rated to operate a flying tow vehicle involved in hang glider aerotowing. Pilots participating in aero towing are required by the FAA to carry a copy of FAA Aero Tow Exemption #4144.

- A. A minimum of ten hours logged air time in type for the aero tow vehicle used, and either:
 1. An FAA private pilot license with single engine rating, or
 2. A minimum of 100 hours of logged powered ultralight flight time. For the weight-shift Trike tow vehicle, pilots may satisfy 50 of the 100 hours with hang gliding experience.
- B. Five flights, either single or dual, as pilot of a hang glider being aero towed, and five flights as aero tow vehicle pilot aero towing a hang glider which is piloted by a USHGA Advanced rated pilot highly experienced in aero-towing.
- C. Must give a complete discussion of aero tow vehicle operations including all normal and emergency procedures, and signals between aero tow pilot and glider pilot, in accordance with the USHGA Aero towing Guidelines.
- D. Must either:
 1. Successfully complete the Intermediate and Advanced pilot written exams, or
 2. Possess a USHGA Advanced pilot rating.

11.02 USHGA Aero Vehicle Requirements

- A. The tow vehicle (powered ultralight) must have a rated thrust of at least 250 lbs.
- B. The towed vehicle (un-powered ultralight) must meet or exceed the Hang Glider manufacturers Association's Airworthiness Standards.
- C. The tow line connection to the towing vehicle must be arranged so as to not hinder the control system of the towing vehicle.
- D. A pilot operational release must connect the tow line to the towing vehicle. This release must be operational with zero tow line force up to twice the rated breaking strength of the weak link.
- E. A weak link must be placed at both ends of the tow line. The weak link at the glider end must have a breaking strength that will break before the towline tension exceeds twice the weight of the hang glider pilot and glider combination. The weak link at the tow plane end of the towline should break with a towline tension approximately 100lbs. greater than the glider end.
- F. A release must be placed at the hang glider end of the tow line within easy reach of the pilot. This release shall be operational with zero tow line force up to twice the rated breaking strength of the weak link.
- G. A drogue device may be placed midway to 3/4 back from the tow vehicle on the tow line to prevent the tow line from reaching the tow vehicle propeller. Parachutes are not recommend since they can twist the towline while not under tow and prevent the tow plane release from functioning.
- H. The tow line must be at least twice as strong as the weak link in use.

11.03 Aerotow Special Skill Endorsements

General Information

The aerotow skill is a demonstration of the pilot's ability to launch and tow successfully and safely behind a flying tow vehicle. This special skill is available to Novice and above rated pilots, and may be demonstrated through foot launch, "dolly" launch or other launch procedures. Pilots participating in aerotowing are required to have the aerotow special skill or be under the supervision of an Aerotow Official and are required by the FAA to carry a copy of FAA Tow Exemption #4144. In order to receive the endorsement, a pilot must demonstrate the following to an Aerotow Official:

- A. Demonstrates the assembly and preflight of the system, including inspection of the tow line, tow line connection, release pre-flight.
- B. Demonstrates understanding of signals between tow vehicle pilot and glider pilot. Must demonstrate system set up and pre-flight, including a complete discussion of all those factors which are particular to the specific aero tow system used and those factors which are relevant to aero towing in general. Must demonstrate complete understanding of both normal and emergency procedures, including checklists for normal procedures and the indications of an impending emergency and convince the instructor of his ability to execute emergency procedures.
- C. Gives a complete discussion of the dangers to the glider pilot and tow vehicle pilot of improper positioning in flight of the glider pilot and improper management by the glider pilot of tow line tension. Discusses methods for controlling and correcting towline tension.
- D. Demonstrates successful, confident, controlled launches and flight under tow to release at altitude, with a smooth transition to flying, with proper directional and pitch control resulting in proper tracking of the aero tow vehicle in both straight and turning flight and appropriate maintenance of proper tow line tension and airspeed. Should demonstrate the ability to control the glider position relative to the

aero tow vehicle. Such demonstrations should be made in typical soaring conditions. A minimum of 5 such successful demonstrations must be made.

- E. Must convince the evaluator that he understands the correct use of airspeed to achieve maximum distance over the ground in various conditions of wind, lift, sink, etc. The pilot must also convince the evaluator that he understands likely presence of wind, lift, and sink over various types of terrain.

11.04 AeroTow Instruction

- A. All instructors of Air-to-Air towing must:
 - 1. Possess a USHGA instructor certification and be either an AT Administrator, AT Supervisor or an Advanced Instructor with the AT special skill.
 - 2. The AT special skill signoff may be issued by AT Supervisors, AT Administrators and Advanced Instructors and Observers that possess the AT special skill.
- B. All instructors who utilize Air-to-Air Towing for instructional purposes shall keep a written log of all such flights, including the date of the flight, the student's name, and the location of the instruction.

11.05 Air-to-Air Towing Operational Standards

- A. The pilots of both the towed and towing vehicles must have an agreed upon general course of action including take off and release signals, airspeeds, and emergency procedures for each pilot.
- B. No pilot of a powered or unpowered ultralight may intentionally release a towline in a manner so as to endanger the life or property of another.
- C. The pilot of the powered ultralight must yield right of way to the unpowered ultralight after release and remain well clear during landing so as to avoid wake turbulence problems.
- D. All Air to Air towing operations shall be conducted in compliance with all of the requirements of FAA Exemption No. 4144.

*FAA TOW EXEMPTION No. 4144*INTRODUCTION

Pursuant to the authority contained in Sections 313(a) and 601(c) of the Federal Aviation Act of 1958, delegated to me by the Administrator (14 CFR 11.53), the individuals authorized by the USHGA are granted an exemption for the FAR's to the extent necessary to allow unpowered ultralight vehicles to be towed aloft by powered ultralights.

The exemption is subject to the following limitations:

1. Each operation must comply with all sections of Part 103 except #103.1(b) of the FAR.
2. No charge, assessment or fee may be made for the operation of the towing ultralight except the actual expenses of the specific flight.
3. Both pilots on both ultralights must possess a current pilot rating issued by the USHGA.
4. For identification purposes, the USHGA shall issue an individual authorization to each person allowed to conduct operations under this exemption. Each authorization shall include an identification number and a copy of this exemption. The USHGA shall have a procedure to rescind this authority when needed.
5. Operations conducted under this exemption shall be in accordance with the safety and certification rules and guidelines, as amended, established by the USHGA, including those specified in paragraphs 1 through 12 in the petitioners supportive information.
6. Each individual who operates an ultralight vehicle under the authority of this exemption must be familiar with the provisions contained herein and must have in his or her personal possession a copy of the authorization issued by the USHGA and a copy of this exemption. These documents shall be presented for inspection upon request by the FAA.

This exemption terminates on June 30th, 2006, unless sooner superseded or rescinded.

Daniel C. Beaudette
Director of Flight Operations
Issued in Washington, D.C. on October 25, 1984

The following requirements must be understood and adhered to:

1. Both vehicles (powered and unpowered ultralight) must meet the vehicle standards of Part 103.
2. Both vehicles must meet the requirements of the USHGA Towing standards.
3. While towing, both vehicles may be used for recreational purposes only.
4. The pilot of the powered ultralight vehicle must possess and have in his possession a current tow rating issued by the USHGA.
5. The pilot of the unpowered ultralight vehicle must possess and have in his possession a current pilot rating issued by the USHGA. This rating shall be at least a USHGA Intermediate (level 3) for a recreational pilot and a USHGA Novice (level 2) for a student pilot under the supervision of a USHGA certified instructor.
6. The unpowered ultralight (hang glider) may be used for two place instructional purposes if the instructor possesses a current USHGA instructor rating and is operating under the conditions of the two-place exemption.
7. Prior to a student's first flight in a towed ultralight (hang glider), the pilot of the powered ultralight and the instructor must inform the student that instruction under tow is conducted under an exemption granted to the USHGA by the FAA.
8. The instructor must keep written record of all operations conducted under this exemption. The record shall include the student's name, the date and the location of the instruction. The record must be maintained for 12 calendar months. The instructors shall present this record for inspection upon reasonable request by the USHGA or the FAA.
9. The instructor shall notify the USHGA within 30 days of any accident occurring while operating under this exemption. This information shall be made available upon reasonable request by the FAA.
10. The structural integrity of the tow hitch and tow line must be substantiated in accordance to USHGA standards and recorded in the tow launch vehicle records by the owner.
11. The operational capabilities of the powered ultralight to tow and release a hang glider satisfactorily must be demonstrated in an assigned test area under actual operational conditions to a USHGA observer and be duly recorded in the tow vehicle records.
12. Both towed and towing pilots must obey operational procedures set forth in the USHGA Towing standards.

104.12 HANG GLIDING TANDEM REQUIREMENTS

12.01 Administration

- A. The USHGA has established a three-tiered system of requirements for tandem ("two-place" or "dual") flying: Tandem I and Tandem 2 for recreational tandem flying, and Tandem Instructor for instructional tandem flying. These requirements are in addition to those established by the Federal Aviation Administration tandem exemption.
- B. All necessary information will be distributed and administered by specially designated USHGA Tandem Administrators and Tandem Instructors. Tandem Administrators are appointed by the Tandem Committee. A study guide and flight and written examination requirement information packages are available from the office of the USHGA.
 - 1. New appointment requests for Tandem Administrator shall be recommended and presented to the Tandem Committee by the applicant's Regional Director.
 - 2. Regional Directors may not issue Tandem ratings unless the Regional Director is also a Tandem Official.
- C. The Tandem I rating involves minimal requirements and regulation, as this form of flying takes place only between qualified and consenting USHGA rated pilots. This rating is authorized Tandem Instructors after administering the written examination and witnessing the proper flight skills utilizing the designated launch method, as well as the designated landing method.*
 - 1. Attendance in a tandem training program or USHGA Tandem Certification Clinic is recommended.
- D. Tandem 2 rating requirements are much more stringent, and require a substantial amount of tandem experience, as they allow flights with USHGA Student rated passengers of limited experience, who have in their possession a USHGA Student Membership Card. This rating is authorized only by the office of the USHGA, after the applicant pilot submits proof of complying with all requirements, including successful completion of a USHGA Tandem Instructor Certification Clinic.

Tandem 2 rated pilots may not offer instruction, and may not accept any form of remuneration for their flight services.
- E. Tandem Instructor Rating requirements include those requirements for a Tandem 2 rating, as well as specific written approval from the applicant's Regional Director and a Tandem Administrator for the Tandem Instructor rating.
 - 1. Tandem Instructors may charge fees for lessons. Tandem Instructors may issue Student ratings and Tandem I ratings.
- F. USHGA Tandem Instructor Certification Clinics shall be administered by designated Tandem Administrators, trained in USHGA clinic procedures, and using text, study, and examination materials provided by the USHGA. Tandem Administrators are appointed by the Tandem Committee with approval of the Regional Director.
- G. The designated launch methods will be foot launch (FL), platform launch (PL), surface tow (ST), or aerotow (AT). Tandem pilots, Tandem Instructors and Tandem Clinic Administrators qualified in one launch discipline will operate only in that discipline for which they are rated.

* Designated launch method is the term given to the "foot launch" sign-off (FL), the "platform-launch" sign-off (PL), "surface tow" sign-off (ST), and the "aerotow" sign-off (AT). Designated landing method of "wheel landing only" (LGO) will restrict tandem activity to wheel landed operations only at LGO suitable sites.

H. All Tandem ratings are valid for 3 years from the date of issuance.

1. Tandem I rating renewal requires that the pilot either:

- a. Submit documentation to a Tandem Instructor showing a minimum of 10 flights of 2 minutes duration or longer per year over the previous three year period; or,
- b. Take and pass a check flight exam with a Tandem Instructor.
- c. Submit to the USHGA a Tandem renewal form, signed by a Tandem Instructor, attesting to the above requirements being fulfilled.

2. Tandem 2/Tandem Instructor rating renewal requires that:

- a. The pilot prove currency by either:
 - i. Submitting documentation to a Tandem Administrator showing a minimum of 10 flights of 2 minutes duration or longer per year over the previous three year period; or,
 - ii. Take and pass a check flight exam with a Tandem Administrator.
- b. The pilot present proof to a Tandem Administrator of a current first aid card;
- c. The Tandem Administrator get approval from the pilot's Regional Director;
- d. The Tandem Administrator verify that the pilot is complying with the (30 day or full) membership and waiver requirements for his/her tandem students; and
- e. The Tandem Administrator submit to the USHGA a signed USHGA Tandem renewal form, attesting to the above requirements being fulfilled

I. NOTE: The USHGA has a procedure to rescind any Tandem rating.

J. Tandem Administrator appointments are conducted in the following manner:

1. New appointment requests for Tandem Administrator shall be recommended and presented to the Tandem Committee by the applicant's Regional Director.
2. Tandem Administrator candidates must exhibit an intense desire to administer the program.
3. There must be a need in the area for a Tandem Administrator, or, the Tandem Administrator candidate must be willing to travel to conduct tandem clinics in other areas.
4. Each Tandem Administrator candidate must assist as an Administrator trainee on a Tandem Clinic and receive recommendation from the Administrator with whom he/she works prior to petitioning the Regional Director for their recommendation.
5. The Tandem Committee will have the final authority to grant a Tandem Administrator appointment.
6. The Tandem Committee will review all Tandem Administrator appointments at each BOD meeting.

12.02 - Pilot Rating Requirements

A. Tandem I

1. Current USHGA Advanced rating, Turbulence sign-off, AND;
2. Minimum 200 hours of logged air time, OR 100 hours with 500 flights of at least 500 ft. vertical descent, OR 100 hours with 500 flights of 2 minutes duration or longer.
3. Ability to consistently perform zero-wind and light crosswind launches, and zero-wind and light-wind landings culminating in zero ground speed at the moment of the flare and when the pilots feet first contact the ground.
4. At least 2 logged tandem flights as passenger with a USHGA Tandem rated pilot using the designated launch method.
5. Successful completion of flight skills test to be administered by a designated USHGA Tandem Instructor. This test will include, as a minimum, a passenger briefing, a successful tandem launch and a successful tandem approach and landing with the candidate as tandem pilot in command, observed by a USHGA Tandem Instructor (who must be the tandem passenger on this flight) utilizing the designated launch as well as the designated landing methods.
6. Successful completion of a written test administered by a USHGA Tandem Instructor.
7. Neither flight skills test or written test is to be administered prior to completion of pilot rating requirements.
8. Must attend a minimum one day tandem training clinic for tandem techniques that is given by a Tandem Instructor.
9. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Tandem I rating and deliver an original signed copy to the USHGA office.

B. Tandem 2

1. Current USHGA Advanced rating with Turbulence sign-off
2. 200 hours, etc. as above
3. At least 15 logged tandem flights of at least 500 ft. Vertical descent or at least 2 minutes duration as pilot in command using the designated launch method.
4. Successful completion of the written, oral and flight tests administered by a Tandem Administrator. Completion of this clinic cannot precede above requirements.
5. Endorsement of the candidate's Regional Director.
6. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Tandem 2 rating and deliver an original signed copy to the USHGA office.

C. Tandem Instructor

1. A current Tandem 2 rating.
2. Specific approval of a Tandem Administrator for the Tandem Instructor rating.
3. Successful completion of an FOI test (Fundamentals of Instruction) and a Tandem Instructor Certification Clinic is mandatory.
4. Endorsement of the candidate's Regional Director.
5. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Tandem Instructor rating and deliver an original signed copy to the USHGA office.
6. Present proof of a current first aid card to a Tandem Administrator.

12.03 Operation Restrictions and Limitations

A. Tandem I

1. May fly tandem recreational flights only with passengers in possession of a current USHGA Beginner rating card or higher, and utilizing their designated launch (FL, PL, ST, or AT) as well as the designated landing method. When flying with cross-discipline pilots, a novice rating is recommended for the passenger.
2. Maximum allowable passenger "hook-in" weight is 120% of that of the pilot-in-command "hook-in" weight.
3. Maximum allowable wing loading is 2.0 lbs. per sq. ft.

B. Tandem 2

1. Pilot may offer recreational tandem flights only, utilizing their designated launch (FL, PL, ST, or AT) as well as the designated landing method.
2. Pilot may not accept any form of remuneration for his/her services.
3. Passenger must have in their possession a current USHGA Student rating card or higher. A temporary rating- form is not acceptable.
4. Maximum allowable "hook-in" weight of passenger to be 120% of the Tandem 2 pilot.
5. Maximum allowable wing-loading 2.0 lbs. per sq. ft.

C. Tandem Instructor:

1. May offer recreational or instructional flights, utilizing their designated launch (FL, PL, ST, or AT) as well as the designated landing method.
2. Student must have on their possession a USHGA "student" rating or higher.
3. Maximum "hook-in" weight of passenger to be determined by Instructor.
4. Maximum recommended wing loading 2.0 lbs per sq ft.

D. It is suggested that pilot-in-command fly on the side allowing free throw of back-up reserve parachute system with his/her dominant hand (i.e. right-handed pilot flies to the right of passenger).

E. Prior to all tandem flights, the passenger or student must be informed that such flights are conducted under an exemption granted by the FAA, and that the ultralight vehicle does not meet aircraft certification standards set forth by the FAA.

F. When present at a flying site, a Tandem Instructor shall personally ensure that all tandem flying requirements and the site requirements are being strictly followed. He shall personally inspect the USHGA ratings of both tandem passengers and pilots, and shall have the authority to halt those tandem flights that are in noncompliance. Noncompliance shall be reported to the Regional Director.

G. Possession of FAA's Part 103, FAR Grant of Exemption #4721 is mandatory while flying tandem.

H. This exemption terminates on October 31, 2006, unless sooner superseded or rescinded.

I. All tandem accidents should be reported by the tandem pilot involved and any other tandem pilot aware of the accident.

12.04 Equipment Requirements

- A. At least one back-up reserve parachute which is rated for the gross load being flown and provides a descent rate no greater than 21 fps at the gross load being flown, is required on flights where any reasonable possibility of successful deployment exists. A 24 gore PDA or larger canopy is recommended. A 22 gore conical or 20 gore PDA canopy is minimally required.

- B. Appropriate helmets are required for both occupants during flight.
- C. The total combined load carrying capacity of all main suspension components connecting the pilot and passenger to the glider must be at least 8,000 lbs, and there must be a connection of the pilot to the passenger which has a minimum total strength of 4,000 lbs.
- D. Although choice of other equipment is up to the individual pilot-in-command, a HGMA certified glider, control bar wheels and knee pads are recommended.

FAA EXEMPTION No. 4721

A reprint of the operational parameters of this exemption are listed below:

" . . . individuals authorized by the United States Hang Gliding Association, Inc., are hereby granted an exemption from the . . .

Federal Aviation Regulations to the extent necessary to permit them to operate unpowered ultralight vehicles with another occupant for the purpose of sport and recreation. The exemption is subject to the following conditions and limitations:

1. Each operation must comply with all sections of Part 103, except §103.1 (a) of the FAR.
2. For training purposes, this exemption applies only to flights for the purpose of giving instruction in two-place unpowered ultralight vehicles from USHGA-approved launch sites.
3. Both occupants on all two-place training flights must possess a current pilot rating issued by the USHGA and at least one occupant must possess a current USHGA instructor rating.
4. Prior to all two-occupant training flights, the student must be informed that the flight is conducted under an exemption granted by the FAA and that the ultralight vehicle does not meet aircraft certification standards set forth by the FAA.
5. Both occupants on all two-place flights, other than for training purposes, must possess a current pilot rating issued by the USHGA and at least one occupant must possess a current Advanced hang gliding rating issued by the USHGA.
6. For identification purposes, the USHGA shall issue an individual authorization to each person allowed to conduct operations under this exemption. Each authorization shall include an identification number and a copy of this exemption. The USHGA shall also have a procedure to rescind this authority when needed.
7. Each individual who operates an ultralight vehicle under the authority of this exemption must be familiar with the provisions contained herein and must have in his or her personal possession a copy of the authorization issued by the USHGA and a copy of this exemption. These documents shall be presented for inspection upon request by the FAA.

This exemption terminates on October 31, 2006, unless sooner superseded or rescinded.

Thomas C. Accardi
Acting Director of Flight Standards
Issued in Washington, D.C. on October 9, 1986

104.13 BEGINNER PARAGLIDING RATINGS

General Description

A Beginner pilot has the knowledge and basic skills necessary to fly and practice under direct instructor supervision and within significant operating limitations. The pilot understands the USHGA paragliding rating systems and recommended operating limitations.

13.01 Beginner Rating - Required Witnessed Tasks

- A. Attends and completes a basic ground school.
- B. Layout and preflight of canopy and harness.
- C. Demonstrates canopy handling skills sufficient to launch - under control.
- D. With each flight, demonstrate method(s) of establishing that pilot is properly connected to the canopy, with cleared lines and risers, just prior to inflation.
- E. Launch unassisted showing:
 - 1. Aggressive inflation and run.
 - 2. Pendulum control during launch.
 - 3. Directional control.
 - 4. Smooth transition from running to flying, during launch.
- F. Airspeed recognition and control,
 - 1. Two flights, predetermined to show:
 - a. Constant airspeed.
 - b. Smooth straight flight.
 - c. Safe, smooth landing, on feet, into wind.
 - 2. Two flights, predetermined to show:
 - a. Confident, slight variation in airspeed showing awareness of control inputs and pendulum control.
 - b. Smoothly increasing airspeed, and smoothly slowing airspeed showing good control.
 - c. Safe, smooth landing, on feet, into wind.
- G. Shows the ability to recognize and understand how different wind conditions at this site will affect their flights.
 - 1. Wind direction.
 - 2. Wind velocity.
 - 3. Terrain shape.
 - 4. Obstructions.
- H. On each flight, demonstrates proper post-landing procedure, to include, but not limited to:
 - 1. Canopy deflation.
 - 2. Canopy immobilization.
 - 3. Checking traffic.
 - 4. Removal of canopy from landing area.
 - 5. Disconnection from the canopy.

- I. Demonstration of understanding of the importance of proper packing, storage, and care of the canopy.
- J. Has read and understands USHGA statements regarding good judgment and maturity.
- K. Must pass the USHGA Beginner Paragliding written exam.
- L. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Beginner rating and deliver an original signed copy to the USHGA office.

13.03 Recommended Operating Limitations for Beginner Pilots:

- A. Should exceed these limitations only after demonstrating complete mastery of the required Beginner paragliding tasks (above), and only after acquiring a full understanding of the potential problems and dangerous situations which may arise from exceeding these limitations.
- B. All flights be made under the direct supervision of a USHGA Certified Basic or Advanced Paragliding Instructor.
- C. Should fly only in steady winds of 12 m.p.h. or less.
- D. If foot launching, should only foot launch only on slopes of 3:1 - 4:1, where wind is within 15° of being straight up the slope.
- E. Should launch only when there are no obstructions within 60° to either side of the intended flight path.
- F. Should fly appropriate sites for this skill level.
- G. Should fly a canopy recommended by the manufacturer as suitable for Beginner or Novice pilots.

104.14 - NOVICE PARAGLIDING RATING

General Description

A Novice paraglider pilot has the knowledge and basic skills necessary to fly and practice without direct instructor supervision but within significant operating limitations. The pilot understands the USHGA paragliding rating systems and recommended operating limitations.

The pilot shall use good judgment and have a level of maturity commensurate with the rating. Pilots must demonstrate Beginner level skills and knowledge before obtaining the Novice rating. All witnessed flights must be pre-planned by the pilot and discussed with the Instructor or specially qualified Observer.

14.01 Novice Rating - Required Witnessed Tasks

- A. Logged Requirements
 - 1. Attends a minimum of 8 hours of ground school.
 - 2. 25 flights. At the discretion of any paragliding instructor or special observer, powered paragliding flights can be used to fulfill this requirement. Use of a powered paraglider to demonstrate the required witnessed tasks is allowed, as long as the engine is stopped at no lower than 200 feet AGL and remains off.
 - 3. 5 flying days.
- B. Demonstrated Skills and Knowledge

1. Demonstrates layout and preflight of the canopy, harness, and backup reserve parachute.
2. Gives a reliable analysis of general conditions of the site and self, and a flight plan including flight path, areas to avoid in relation to the wind flow, and obstacles to stay clear of.
3. Demonstrates 5 consecutive forward inflations with a visual check of the canopy each time.
4. Demonstrates 5 consecutive controlled reverse inflations with proper surge dampening.
5. Demonstrates controlled kiting of a glider overhead for 2 minutes in a steady wind.
6. Demonstrates 2 clean, smooth reverse inflations/reversals prior to launch.
7. With each flight, demonstrates a method of establishing that the pilot is properly connected to the glider, with cleared lines and risers just prior to inflation.
8. Demonstrates 2 successful, aggressive, confident inflations/launches, where the wind is at least 15° cross to straight up the hill in wind not exceeding 5 m.p.h.
9. Demonstrates 2 no-wind (0-5 m.p.h.) inflations/launches.
10. Demonstrate how to brief and instruct a ground crew and explain when an assisted launch is necessary.
11. Demonstrates 2 high-wind (10-15 m.p.h.) inflations/launches.
12. Demonstrates flight with smooth variation in airspeed, from above minimum sink to fast flight, while maintaining a heading.
13. Demonstrates flight showing the ability to comfortably and precisely slow the glider to minimum sink and smoothly increase to normal airspeed while maintaining a heading. The pilot should not slow the glider to near the stall speed.
14. Demonstrates flight(s) along a planned path alternating 'S' turns of at least 90° change in heading. Flight heading need not exceed 45° from straight into the wind. Turns must be smooth with controlled airspeed, ending in safe, stand up landings on a heading.
15. Demonstrates 360-degree turns in both directions, and at various speeds and bank angles.
16. Demonstrates hands-off flying, one handed flying skills, weight-shift turns, and rear-riser turns.
17. Demonstrates symmetric and asymmetric tip folds for increased descent rate.
18. Demonstrates the ability to judge and allow for proper clearance from a ridge and other aircraft.
19. Demonstrates 5 landings within 25' of a target, safe, smooth, on the feet and into the wind. The target must be sufficiently close to launch such that turns are required to set up an approach and avoid over-flying the target. The target should be at least 100' below the launch point.
20. Explains proper strong wind landing procedures and how to keep from being dragged back.
21. Explains correct canopy maintenance.
22. Explains how to lengthen and shorten the flight path.
23. Explains the right of way traffic rules.
24. Explains the use of a speedbar/accelerating system.
25. Demonstrates reserve deployment while hanging in a harness in simulated turbulence or malfunction conditions.
26. Gives a thorough verbal demonstration of knowledge of how to:
 - a. Maintain directional control during and correct for an asymmetric wing fold of 25% of the wing span.
 - d. Fly at minimum sink while precluding any chance of inadvertent stall or spin.
 - e. Increase descent rate and/or forward speed.
27. Demonstrates proper and effective PLF technique.
28. Must pass the USHGA Novice Paragliding written exam.
29. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Novice rating and deliver an original signed copy to the USHGA office.

30. Acknowledges and understands the need to become familiar with site-specific restrictions and launch or landing access limits, consistent with preservation of flying privileges at a site.

14.03 Recommended Operating Limitations for Novice Paragliding Pilots

- A. Should exceed these limitations only after thoroughly mastering all required tasks, and after acquiring a full understanding of the potential problems and dangers involved in exceeding these limitations.
- B. Maximum base wind of 12 m.p.h.
- C. Maximum peak gusts to 15 m.p.h.
- D. Maximum gust rate of 5 m.p.h. in 5 seconds.
- E. Should not fly in thermal lift where peak climb rates exceed 200 fpm.
- F. If foot launching, should launch only on slopes steeper than 4:1, where the wind is within 25° of being straight up the slope.
- G. Visual contact with the landing zone.
- H. Avoid application of either brake beyond 2/3 of the way from slack to stall position.
- I. Limit turns to 30° of bank, limit speed in turns to 1.5 times the straight line, brakes off, cruise speed, and smoothly exit any spiral turn which shows a tendency to steepen or accelerate.
- J. Should fly a canopy recommended by the manufacturer as suitable for Beginner to Intermediate pilots.

104.15 - INTERMEDIATE PARAGLIDING RATING

General Description

The pilot has the knowledge and skills to fly most sites in mild to moderate soaring conditions, and to judge when the site and conditions are within the pilot's skill, knowledge, and experience level. The pilot understands the USHGA paragliding rating system as recommended operating limitations, and the FARs and other flying rules applicable to his/her flying (ridge rules, thermal right of way, FAR 103, aircraft sectional use and regulated airspace avoidance, etc.).

The pilot shall use good judgment and have a level of maturity commensurate with the rating.

15.01 Intermediate Rating - Required Witnessed Tasks

A. Logged Requirements

1. Must have logged a minimum of 30 flying days.
2. Must have logged a total of at least 90 flights.
3. Must have logged a minimum of 20 hours of solo airtime.

B. Demonstrated Skills and Knowledge

1. Has received training in and/or understands the importance and significance of:
 - a. Right of way rules.
 - b. FAA Regulations and aircraft sectional charts
 - c. Airspeed control, stalls, spins, and turbulence-induced collapses and recoveries.
 - d. Canopy owner's manual.

- e. USHGA Accident Report results currently in print.
- 2. Can give verbal analysis of conditions on the hill, demonstrating knowledge of wind shadows, gradients, lift, sink, laminar air, turbulence and rotors, and the effect these items have on an intended flight path and turns.
- 3. Must give a verbal flight plan for each observed flight.
- 4. Must show thorough preflight of the harness, canopy, and backup reserve parachute.
- 5. With each flight, demonstrates a method of establishing that the pilot is properly connected to the glider, with cleared lines and risers just prior to launch.
- 6. All inflations/launches should be aggressive, confident, and with a smooth transition from running to flying. Flights with slow, unstable inflations/launches will not be considered adequate for witnessed tasks.
- 7. For witnessed tasks, all landings must be safe, smooth, on the feet, and in control.
- 8. Demonstrates the ability to differentiate airspeed from ground speed.
- 9. Demonstrates linked 180° turns along a predetermined ground track showing smooth controlled reversals and proper coordination at various speeds and bank angles.
- 10. Demonstrates 360° turns in both directions, and at various speeds and bank angles.
- 11. Demonstrates symmetric and asymmetric tip folds (25% per side, 50% total) or some other method of canopy reduction for increased descent rate.
- 12. Demonstrates one method to increase forward speed.
- 13. Demonstrates proper surge control of canopy using properly timed brake application.
- 14. Gives a thorough verbal description of how to maintain directional control during and correct for an 50% asymmetric wing collapse.
- 15. Explains characteristics of impending stall and impending spin.
- 16. In 8 to 15 m.p.h. winds, demonstrates the ability to maintain airspeed at or near minimum sink during crosswind and upwind legs, without any evidence of stalls.
- 17. Demonstrates 5 landings within 10' of a spot after flights requiring turns on approach.
- 18. Demonstrates proper airspeed control on landing approach when descending through a gradient.
- 19. Demonstrates proper airspeed for maximum distance flown into a significant headwind.
- 20. Demonstrates complete understanding of all Paragliding Tow Discussion Topics (for tow rated pilots only).
- 21. Must pass the USHGA Intermediate Paragliding written exam.
- 22. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Intermediate rating and deliver an original signed copy to the USHGA office.
- 23. Acknowledges and understands the need to become familiar with site-specific restrictions and launch or landing access limits, consistent with preservation of flying privileges at a site.

15.02 Recommended Operating Limitations for Intermediate Paraglider Pilots

- A. Maximum base wind of 15 m.p.h.
- B. Maximum peak gusts to 18 m.p.h.
- C. Maximum gust rate of 5 m.p.h. in 5 seconds.
- D. Avoid steep turns close to the ground.
- E. Avoid application of either brake beyond 3/4 of the way from full off to stall position.
- F. Limit turns to bank angles recommended by the manufacturer, limit speed in turns to 2 times the straight line, brakes off, cruise speed, and smoothly exit any spiral turn that shows a tendency to steepen or accelerate.
- G. Should initiate downwind turns only with 300' of clearance outward from the hill or ridge in winds above 15 m.p.h., and 200' of clearance in winds above 10 m.p.h.

- H. Should not fly in thermals where peak climb rates exceed 500 fpm or where significant vertical cloud development exists.
- I. Upon mastering the above skills, an Intermediate Paragliding Pilot should pursue new maneuvers, sites, and conditions with the guidance of a USHGA Certified Advanced Paragliding Instructor or Observer.

104.16 - ADVANCED PARAGLIDING RATING

General Description

The pilot has the knowledge and skills to fly technically demanding sites in strong soaring conditions, and to judge when the site and conditions are within the pilot's skill, knowledge, and experience level. The pilot understands the USHGA paragliding rating system and recommended operating limitations, and the FARs and other flying rules applicable to his/her flying.

The pilot will fly using good judgment and have a level of maturity commensurate with the rating.

16.01 Advanced Rating - Required Witnessed Tasks

A. Logged Requirements

1. 250 flights.
2. Must have made 5 flights at each of 5 different sites in Intermediate level conditions, of which 3 were inland.
3. Must have logged a minimum of 80 flying days.
4. Must have at least three, 1-hour flights in thermal lift without sustaining ridge lift. Flights must originate from at least two different sites in Intermediate level conditions.
5. Must have at least one, 1-hour flight in ridge lift without sustaining thermal lift.
6. Must have logged a minimum of 75 hours total airtime, with no more than 25 of these hours to be tandem. Of these 75 hours, 25 must be in thermal lift, with no more than 10 of these 25 hours to be tandem flights.
7. Must have flown a minimum of 5 different canopies.

B. Demonstrated Skills and Knowledge

1. Preflight of the harness, canopy, and backup reserve parachute.
2. Verbal analysis of conditions.
3. Flight plan.
4. With each flight, demonstrates a method of establishing that the pilot is properly connected to the glider, with cleared lines and risers just prior to launch.
5. All inflations/launches should be aggressive, confident, and with a smooth transition from running to flying. Flights with slow, unstable inflations/launches will not be considered adequate as witnessed tasks.
6. All landings must be safe, smooth, on the feet and in control.
7. Demonstrate ability to allow clearance when doing 360 degree turns by demonstrating figure eights:
 - a. In a wind sufficient to cause drift, two points will be selected on a line perpendicular to the wind.
 - b. The pilot will fly along a line parallel to that joining the pylons, slightly downwind of the

pylons, toward a point midway between them. During the crosswind leg, the pilot will establish the degree of wind drift. At the midpoint between the pylons, the pilot will make a smooth, deliberate upwind turn and enter a figure eight course consisting of smooth turns of constant ground track radius around the pylons (centered on the pylons) with straight segments at the midpoint between the pylons.

- c. The pilot must complete two consecutive figure eights in which the airspeed, bank angle, and turn rate are altered smoothly around the course such that the proper ground track is held and the drift is compensated for, without overcompensation or hesitation.
8. Demonstrate three consecutive spot landings within 10' of a target after a flight which requires turns on approach. In smooth conditions, the spot location should be changed by the Observer, for each of the three flights. Flights should be a minimum of one minute and 200' AGL.
 9. Demonstrate smooth coordinated 360 degree turns in both directions, with reversal at various speeds and bank angles appropriate to the rating level.
 10. Demonstrates significant asymmetric wing collapses (50% of the wing span) with directional control.
 11. Demonstrates complete understanding of all Paragliding Tow Discussion Topics (for tow rated pilots only).
 12. Must pass the USHGA Advanced Paragliding written exam.
 13. Must convince the Instructor or Observer that he can check in and fly Advanced rated sites without endangering spectators, other pilots, or jeopardizing the site.
 14. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Advanced rating and deliver an original signed copy to the USHGA office.

16.02 Recommended Operating Limitations for Advanced Paraglider Pilots

- A. Should not fly within 30' of another glider in smooth air, or within 100' of another glider in moderately turbulent air.

104.17 - MASTER PARAGLIDING RATING

General Description

For pilots who wish to further diversify their skills in the sport of paragliding, and to recognize the achievement of the expert skilled pilot who has experience beyond the Advanced level, there is a designation of Master Pilot. No site will be designated as requiring Master skills. The pilot will fly using good judgment and have a level of maturity commensurate with the rating.

17.01 Master Rating - Required Witnessed Tasks

- A. Logged Requirements
 1. Must be a current USHGA Full Member.
 2. Must have all Special Skills witnessed except Para Ski (PS).
 3. Must have a minimum of 1,450 points in at least 6 categories (see chart below). Must have a minimum of 400 hours airtime with at least 200 hours in thermals, and at least 500 logged flights.
 4. Must obtain at least 3 letters of recommendation from USHGA Paragliding Observers, Examiners, or Advance Instructors, who will attest to the flying requirements and especially the good judgment and maturity of the applicant. If these officials have not seen the applicant flying for this 3 year period, additional letters of recommendation must be presented so that the 3 year block of time is covered.

5 Must possess the Bronze Safe Pilot Award (100 flights; there are no points given for this).

<u>CATEGORIES</u>	<u>POINTS</u>	<u>MAXIMUM POINTS ALLOWED</u>
Air time (min. 400 hrs.)	1 pt./hr. (beyond 400 hrs required airtime)	350
No. of flights (Min. 500 flts. 250 must be foot launched)	1 pt./flt. (beyond required 500 flts)	250
Altitude Gains (Only one altitude gain may be used from each flight)	10 pts./2,000' gain 15 pts./3,000' gain 20 pts./4,000' gain 25 pts./5,000' gain 30 pts./6,000' gain	350
Cross Country (10 mi. min. flts.)	1 pt./mi	350
Number of different sites flown	10 pts./site	300
Number of different gliders flown	5 pts./glider	150
Competition	10 pts./fifth 20 pts./fourth 30 pts./third 40 pts./second 50 pts./first	100
Tandem (As pilot in command)	10 pts./flight	100
Towing (Payout Reel, Stationary Winch, Static Line)	5 pts./flight (50 pts. in each of the possible categories)	100

- B. The pilot is to present documentation of flight experience, to meet the 1,450 point minimum, to his Regional Director, who confirms completion of the requirements. The Director then approves or denies the application. If the application is denied, the pilot may appeal the denial to the USHGA Board of Directors. A two-thirds vote of the Board is required to uphold the appeal. A Regional Director's award of a Master designation may be rescinded by a two-thirds vote of the Board.
- C. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Master rating and deliver an original signed copy to the USHGA office.

104.18 - PARAGLIDING SPECIAL SKILL ENDORSEMENTS

- A. Special Skills attainable by Novice and above.
 - 1. Ridge Soaring (RS):

- a. Demonstrates the ability to kite and launch safely on a slope producing sustainable ridge lift
 - b. Demonstrates the ability to fly a standard traffic pattern in both isolated and traffic conditions, illustrating the ability to communicate properly with other pilots in the pattern.
 - c. Demonstrates the ability to soar in a crosswind without stalling on downwind legs, and demonstrates the ability to fly at minimum sink without stalling in turns.
 - d. Demonstrates the ability to perform consistent and safe top landings.
2. Light Wind Cliff or Ramp Launch (CL):
- a. Demonstrates the ability to launch safely from a shallow slope ramp or non-abrupt or overhung cliff top, where running room is severely restricted, drop off is steep, and wind is 5 m.p.h. or less, such that positive attitude control and strong, aggressive sprinting starts are required. Stalled, falling/diving launches are not acceptable demonstrations, even if flight is achieved.
3. Flat Slope Launches (FSL):
- a. Demonstrates ability to launch in less than 10 m.p.h. wind from slopes which approach the maximum L/D of the glider.
4. Restricted Landing Field (SLF):
- a. Demonstrates a landing using a downwind leg, base-leg, and a final leg approach where the entire base-leg, final, and landing occur within a 100' square.
 - b. Demonstrates the ability to plan and execute consistent and controlled side hill landings on various slopes.
 - c. Demonstrates the ability to plan and execute consistent and controlled top landings from various approaches.
5. Turbulence (TUR):
- a. Demonstrates controlled and un-panicked flight in conditions requiring quick, deliberate, substantial, and correct control application to reduce pendulum motion.
 - b. Demonstrates proper directional control and correction of full (i.e., 50% of the wing span) asymmetric collapses.
 - c. Demonstrates sustained flight in moderate thermal conditions without the aid of ridge lift.
 - d. Demonstrates smooth and correctly timed surge control.
 - e. Must have logged five 30-minute thermal flights without sustaining ridge lift.
6. High Altitude Launch (HA):
- a. Demonstrates the ability to launch unassisted with strong, running forward-inflation launches in winds less than 5 m.p.h.
 - b. Demonstrates launches from sites with density altitude of 6000' or higher.
 - c. Demonstrates understanding of high altitude conditions (e.g., air density, cloud suck, anabatic and catabatic conditions, hypoxia, hypothermia).
7. Surface Tow (ST)

- a. Must demonstrate tow system set up and preflight, including a complete discussion of all of the factors which are particular to the specific tow system used, and those factors which are relevant to towing in general. Must demonstrate complete understanding of both normal and emergency procedures, including checklists for normal procedures and the indications of an impending emergency, and convince the instructor of his/her ability to recognize and execute emergency procedures.
 - b. Demonstrates successful, confident, controlled launches and flight under tow to release altitude, with a smooth transition to flying. Such demonstrations may be made in ideal wind conditions.
 - c. Has discussed all Towing Discussion Topics with the issuing ST official
8. Platform Launch (PL)
- a. Must demonstrate tow system set up and preflight, including a complete discussion of all of the factors that are particular to the specific tow system used, and those factors that are relevant to towing in general. Must demonstrate complete understanding of both normal and emergency procedures, including checklists for normal procedures and the indications of an impending emergency, and convince the instructor of his/her ability to recognize and execute emergency procedures.
 - b. Demonstrates successful, confident, controlled launches and flight under tow to release altitude, with a smooth transition to flying. Such demonstrations may be made in ideal wind conditions.
 - c. Has discussed all Towing Discussion Topics with the issuing PL official
- B. Special Skills attainable by Intermediate and above.
1. Assisted Windy Cliff or Ramp Launch (AWCL):
 - a. Demonstrates ability to launch with assistance in windy conditions from a non-abrupt or overhung cliff or ramp that exhibit strong lift at takeoff. Must show proper use of release signals and confident, aggressive launch.
 2. Cross Country (X-C):
 - a. Must hold A.4 and A.5 above.
 - b. Demonstrates ability to recognize a safe landing area from the air and determine and execute a safe approach and landing, accounting for wind direction, rotors, obstacles, power lines, ground slope, vegetation, etc.
 - c. Demonstrates significant altitude gains (1000' or greater) above launch.
 - d. Demonstrates flight at a site where the landing area is not visible from launch, is not the normal landing area, and cannot be reached in a glide. The flight must demonstrate the pilot's ability to locate and link thermals to reach a destination.
 - e. Demonstrates knowledge applicable to cross-country flight (e.g., downwind rotors, cloud streets, detecting wires and other obstructions from the air, advancing storm fronts, convergences and shears, etc.).

3. Para-Ski (PS)
 - a. Must hold A.4 and A.6 above.
 - b. Demonstrates the ability to correctly set up and self launch with skis on. This is a no wind skill. Pilot must have the ability to inflate the canopy in forward launch position first try.
 - c. Explains conditions, weather, equipment and protocols peculiar to flight in a ski area environment.
 - d. Demonstrates light wind, high altitude launches and landings with skis.

104.19 - PARAGLIDING TANDEM REQUIREMENTS

19.01 Administration

- A. The USHGA has established a 3-tiered system of requirements for tandem ('two-place' or 'dual') flying: Tandem 1 and Tandem 2 for recreational tandem flying, and Tandem Instructor for instructional tandem flying. These requirements are in addition to those established by the Federal Aviation Administration tandem exemption.
- B. All necessary information will be distributed and administered by designated USHGA Tandem Administrators and Tandem Instructors. Tandem Administrators are appointed by the Tandem Committee. A study guide and both flight and written examination requirement information packages are available from the office of the USHGA.
 1. New appointment requests for Tandem Administrator shall be recommended and presented to the Tandem Committee by the applicant's Regional Director.
 2. Regional Directors may not issue Tandem ratings unless the Regional Director is also a Tandem Official.
- C. The Tandem 1 rating involves minimal requirements and regulation, as this form of flying takes place between qualified and consenting USHGA rated pilots. This rating is authorized by Tandem Instructors after administering the written examination and witnessing the proper flight skills utilizing the designated launch method.*
 1. Attendance in a tandem training program or USHGA Tandem Certification Clinic is mandatory.
- D. Tandem 2 rating requirements are much more stringent, and require a substantial amount of tandem experience, as they allow flights with USHGA Student rated passengers of limited experience, who have in their possession a USHGA Student Membership Card. This rating is authorized only by the office of the USHGA, after the applicant pilot submits proof of complying with all requirements.

Tandem 2 rated pilots may not accept any form of remuneration for their flight service.
- E. Tandem Instructor Rating requirements include those requirements for a Tandem 2 rating as well as specific written approval from the applicant's Regional Director and a Tandem Administrator for the Tandem Instructor rating.
 1. Tandem Instructors may charge fees for lessons. Tandem Instructors may issue Student ratings and Tandem 1 ratings.

F. USHGA Tandem Instructor Certification Clinics shall be administered by designated Tandem Administrators, trained in USHGA clinic procedures, and using text, study, and examination materials provided by the USHGA.
Tandem Administrators are appointed by Tandem Committee, with the approval of their Regional Director.

G. The designated launch methods will be Foot Launch (FL), or Surface Tow (ST). All Tandem pilots, Tandem Instructors, and Tandem Administrators qualified in one launch discipline will operate only in that discipline for which they are rated.

* Designated launch method is the term given to the 'foot launch' sign-off (FL), and 'surface tow' sign-off (ST).

H. All Tandem ratings are valid for 3 years from the date of issuance.

1. Tandem 1 rating renewal requires that the pilot either:

- a. Submit documentation to a Tandem Instructor showing a minimum of 10 flights of 2 minutes duration or longer per year over the previous three year period; or,
- b. Take and pass a check flight exam with a Tandem Instructor.
- c. Submit to the USHGA a USHGA Tandem renewal form, signed by a Tandem Instructor, attesting to the above requirements being fulfilled.

2. Tandem 2/Tandem Instructor rating renewal requires that:

- a. The pilot prove currency by either:
 - i. Submitting documentation to a Tandem Administrator showing a minimum of 10 flights of 2 minutes duration or longer per year over the previous three year period; or,
 - ii. Take and pass a check flight exam with a Tandem Administrator.
- b. The pilot present proof to a Tandem Administrator of a current first aid card;
- c. The Tandem Administrator get approval from the pilot's Regional Director;
- d. The Tandem Administrator verify that the pilot is complying with the (30 day or full) membership and waiver requirements for his/her tandem students; and
- e. The Tandem Administrator submit to the USHGA a signed USHGA Tandem renewal form, attesting to the above requirements being fulfilled

I. NOTE: The USHGA has a procedure to rescind a Tandem rating.

J. Tandem Administrator appointments are conducted in the following manner:

1. New appointment requests for Tandem Administrator shall be recommended and presented to the Tandem Committee by the applicant's Regional Director.
2. Tandem Administrator candidates must exhibit an intense desire to administer the program.
3. There must be a need in the area for a Tandem Administrator, or, the Tandem Administrator candidate must be willing to travel to conduct tandem clinics in other areas.
4. Each Tandem Administrator candidate must assist as an Administrator trainee on a Tandem Clinic

and receive recommendation from the Administrator with whom he/she works prior to petitioning the Regional Director for their recommendation.

5. The Tandem Committee will have the final authority to grant a Tandem Administrator appointment.
6. The Tandem Committee will review all Tandem Administrator appointments at each BOD meeting.

19.02 Pilot Rating Requirements

A. Tandem 1:

1. Current USHGA Advanced Rating, Turbulence sign-off, AND;
2. Minimum 200 hours of logged airtime, OR 100 hours with 500 flights of at least 500' vertical descent, OR 100 hours with 500 flights of 2 minutes or longer.
3. Ability to consistently perform zero-wind and light crosswind launches, and zero-wind and light-wind landings culminating in zero ground speed at the moment of the flare and when the pilot's feet first contact the ground.
4. At least 2 logged tandem flights as a passenger with a USHGA Tandem rated pilot using the designated launch method.
5. 4-10 flights as pilot in command with a current USHGA Tandem Instructor as passenger. Flights must originate from a minimum altitude of 500' AGL or a minimum duration of 2 minutes. These flights should include one light wind (0 - 5 m.p.h.) launch using a forward inflation, one high wind (10 - 15 m.p.h.) launch using a reverse inflation, and landing.
6. Successful completion of a flight skills test to be administered by the USHGA Tandem Instructor. This test will include, as a minimum, a passenger briefing, a successful tandem launch and a successful tandem approach and landing with the candidate as tandem pilot in command, observed by a USHGA Tandem Instructor (who must be the tandem passenger on this flight) utilizing the designated launch method. The Tandem Instructor then signs off the pilot for the flights in (4) and (5) on the application form.
7. Successful completion of a written test administered by the USHGA Tandem Instructor.
8. Neither flight skills (and test) or written test is to be administered prior to completion of pilot rating requirements.
9. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Tandem 1 rating and deliver an original signed copy to the USHGA office.

B. Tandem 2:

1. Current USHGA Tandem 1 rating
2. At least 25 logged tandem flights of at least 500' vertical descent or at least 2 minutes duration as pilot in command using the designated launch method.
3. Successful completion of a 1-2 day tandem exam clinic and pass a written exam and flight test with a Tandem Administrator. Attendance in the exam clinic cannot precede the requirements above.
4. Endorsement by the candidate's Regional Director.
5. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Tandem 2 rating and deliver an original signed copy to the USHGA office.

C. Tandem Instructor:

1. A current Tandem rating.
2. At least 25 logged tandem flights of at least 500' vertical descent or at least 2 minutes duration

- as pilot in command using the designated launch method.
3. Successful completion of an FOI test (Fundamental of Instruction), a 1-2 day tandem exam clinic and pass a written exam and flight test with a Tandem Administrator. Attendance in the exam clinic cannot precede the requirements above.
 4. Endorsement of the candidate's Regional Director.
 5. Must agree to all the provisions of the USHGA standard waiver and assumption of risk agreement for the Tandem Instructor rating and deliver an original signed copy to the USHGA office.
 6. Present proof of a current first aid card to a Tandem Administrator.

19.03 Operating Restrictions and Limitations

A. Tandem 1:

1. May fly tandem recreational flights only with passengers in possession of a current USHGA Beginner Rating (or higher) card, and utilizing their designated launch method (FL, PL, ST, or AT).
2. When flying with cross-discipline pilots, a novice rating is recommended for the passenger.
3. Maximum allowable wing loading must be within the placards of the glider.

B. Tandem 2:

1. Pilot may offer recreational tandem flights only, utilizing their designated launch method (FL, PL, ST, or AT).
2. Pilot may not accept any form of remuneration for his/her services.
3. Passenger must have in their possession a current plasticized USHGA Student (or higher) rating card. Temporary rating forms are not acceptable.
4. Maximum allowable wing loading must be within the placards of the glider.

C. Tandem Instructor:

1. May offer recreational or instructional flights, utilizing their designated launch method (FL, PL, ST or AT).
2. Student must have in their possession a USHGA Student rating (or higher).
3. Maximum allowable wing loading must be within the placards of the glider.

- D. Prior to all tandem flights, the passenger or student must be informed that such flights are conducted under an exemption granted by the FAA, and that the ultralight vehicle does not meet aircraft certification standards set forth by the FAA.
- E. When present at a flying site, a Tandem Paragliding Instructor shall personally ensure that all tandem flying requirements and the site requirements are being strictly followed. He shall personally inspect the USHGA ratings of both tandem passengers and pilots, and shall have the authority to halt those tandem flights that are in non-compliance. Noncompliance shall be reported to the Regional Director.
- F. Possession of the FAA's Part 103, FAR Grant of Exemption #4721 is mandatory while flying tandem.
- G. This exemption expires on October 31, 2006 unless sooner superceded or rescinded.
- H. All tandem accidents should be reported by the tandem pilot involved and any other tandem pilot aware of the accident.

19.04 Equipment Requirements

- A. The glider is recommended by the manufacturer for two-place flight.
- B. At least one backup reserve parachute rated for the gross load being flown is required on flights where any possibility of successful deployment exists.
- C. Appropriate helmets are required for both occupants during flight.
- D. Suitable harness on both people.
- E. Hook knife on pilot.
- F. Although choice of other equipment is up to the individual pilot-in-command, ankle supporting boots, knee pads, gloves, and clothing appropriate to the site conditions are recommended.
- G. Steel carabineers for the main connection point where the spreader bar meets the riser.
- H. A reserve bridle that connects the reserve parachute to the spreader bar and not to the tandem pilot.